



BMT
modern lighting

Modular Line BM26



BMTEAM Sp. z o.o.

ul. Ludowa 109

42-215 Częstochowa

e-mail: biuro@bmteam.pl

mobile phone: **570 795 700**



Light and shadow are the poetry of space;
we are the authors.



Live your life's color palette;
make every moment radiant and vibrant.



A spectrum of choices to illuminate your extraordinary life.



Intelligent light, adapting to your needs,
understanding your desires.



Beyond definition.
Your colors, your rules.








Product Index

Modular Line 1 Series



ML 15575



ML 13575



ML 14040



ML 15042



ML 17570



ML 19975



Modular Line 2 Series



ML 25583



ML 21583



ML 23838



ML 26750



ML 21540




ML 15575








ML 15575









Minimalist Light & Shadow
Freely Defined – DIY linear light modules
to illuminate your creative space




Create Your Own Light: Modular Linear DIY Kits
Linear Glow. Build It Yourself

ML 15575



-  UGR≤ 19
-  DIY
-  QuickSplicing
-  UpAnd Down Solution
-  3CCT



ML 15575



Model	Size	Power	CCT	LM/W	LED Chip	Beam
ML 15575-0309A0	312x55x75mm	9W	3000/4000/5700K	120lm/W	2835	110°
ML 15575-0618A0	612x55x75mm	18W	3000/4000/5700K	120lm/W	2835	110°
ML 15575-0927A0	912x55x75mm	27W	3000/4000/5700K	120lm/W	2835	110°
ML 15575-1030A0	1012x55x75mm	30W	3000/4000/5700K	120lm/W	2835	110°
ML 155751236A0	1212x55x75mm	36W	3000/4000/5700K	120lm/W	2835	110°



OPTICS



ML 15575




ML 15575




Model	Size	Power	CCT	LM/W	LED Chip	Beam
ML 15575-R0875A0	800x55x75mm	75W	3000/4000/5700K	120lm/W	2835	110°
ML 15575-R1090A0	1000x55x75mm	90W	3000/4000/5700K	120lm/W	2835	110°
ML 15575-R12110A0	1200x55x75mm	110W	3000/4000/5700K	120lm/W	2835	110°




OPTICS







Model	Size	Power	CCT	LM/W	LED Chip	Beam
ML15575-L090A0	156x156x75mm	10W	3000/4000/5700K	120lm/W	2835	110°
ML15575-L120A0	228x157x75mm	10W	3000/4000/5700K	120lm/W	2835	110°
ML15575-T090A0	245x156x75mm	12W	3000/4000/5700K	120lm/W	2835	110°
ML15575-Y120A0	225x260x75mm	12W	3000/4000/5700K	120lm/W	2835	110°
ML15575-X090A0	257x257x75mm	12W	3000/4000/5700K	120lm/W	2835	110°



Connector






Model	Size	Power	CCT	LM/W	LED Chip	Beam
ML 15575-C30°	310x290x75mm	10W	3000/4000/5700K	120lm/W	2835	110°
ML 15575-C45°	310x320x75mm	10W	3000/4000/5700K	120lm/W	2835	110°
ML 15575-C60°	310x330x75mm	10W	3000/4000/5700K	120lm/W	2835	110°
ML 15575-C90°	310x310x75mm	10W	3000/4000/5700K	120lm/W	2835	110°
ML 15575-C120°	400x260x75mm	10W	3000/4000/5700K	120lm/W	2835	110°
ML 15575-C135°	430x217x75mm	10W	3000/4000/5700K	120lm/W	2835	110°
ML 15575-Y120°	464x403x75mm	12W	3000/4000/5700K	120lm/W	2835	110°
ML 15575-C180°	600x350x75mm	15W	3000/4000/5700K	120lm/W	2835	110°



Connector




ML 13575





ML 13575



ML 13575

L Connector



DIY MODULE, LIGHT UP YOUR PERSONAL SPACE
Free splicing
Modular design
Free combination

Free combination
Play with light and shadow
Spell out your light and shadow in a minimalist style

L Connector



+ Connector




T Connector



Minimalist Light & Shadow
Freely Defined – DIY linear light modules
to illuminate your creative space

120° Connector





Y Connector



Create Your Own Light: Modular Linear DIY Kits
Linear Glow. Build It Yourself

ML 13575




ML 13575






Model	Size	Power	CCT	LM/W	LED Chip	Beam
ML 13575-0309A0	312x35x75mm	9W	3000/4000/5700K	100lm/W	2835	110°
ML 13575--0618A0	612x35x75mm	18W	3000/4000/5700K	100lm/W	2835	110°
ML 13575--0927A0	912x35x75mm	27W	3000/4000/5700K	100lm/W	2835	110°
ML 13575--1030A0	1012x35x75mm	30W	3000/4000/5700K	100lm/W	2835	110°
ML 13575--1236A0	1212x35x75mm	36W	3000/4000/5700K	100lm/W	2835	110°



OPTICS






Model	Size	Power	CCT	LM/W	LED Chip	Beam
ML 13575-L090A0	150x150x75mm	9W	3000/4000/5700K	110lm/W	2835	110°
ML 13575-L120A0	228x157x75mm	9W	3000/4000/5700K	110lm/W	2835	110°
ML 13575-T090A0	245x150x75mm	12W	3000/4000/5700K	110lm/W	2835	110°
ML 13575-Y120A0	225x260x75mm	12W	3000/4000/5700K	110lm/W	2835	110°
ML 13575-X090A0	245x245x75mm	15W	3000/4000/5700K	110lm/W	2835	110°




Connector




ML 14040





ML 14040



ML 14040

L Connector



DIY MODULE, LIGHT UP YOUR PERSONAL SPACE
Free splicing
Modular design
Free combination

Free combination
Play with light and shadow
Spell out your light and shadow in a minimalist style

L Connector



+ Connector



T Connector



Minimalist Light & Shadow
Freely Defined – DIY linear light modules
to illuminate your creative space

120° Connector








Y Connector




Create Your Own Light: Modular Linear DIY Kits
Linear Glow. Build It Yourself

ML 14040



-  UGR_{s19}
-  DIY
-  QuickSplicing
-  UpAnd Down Solution
-  3CCT



ML 14040




Model	Size	Power	CCT	LM/W	LED Chip	Beam
ML 14040-0309A0	312x40x40mm	9W	3000/4000/5700K	100lm/W	2835	110°
ML 14040-0618A0	612x40x40mm	18W	3000/4000/5700K	100lm/W	2835	110°
ML 14040-0927A0	912x40x40mm	27W	3000/4000/5700K	100lm/W	2835	110°
ML 14040-1030A0	1012x40x40mm	30W	3000/4000/5700K	100lm/W	2835	110°
ML 14040-1236A0	1212x40x40mm	36W	3000/4000/5700K	100lm/W	2835	110°

- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 

OPTICS







Model	Size	Power	CCT	LM/W	LED Chip	Beam
ML14040-L090A0	358x358x40mm	20W	3000/4000/5700K	100lm/W	2835	110°
ML14040-L120A0	358x358x40mm	20W	3000/4000/5700K	100lm/W	2835	110°
ML14040-T090A0	364x358x40mm	20W	3000/4000/5700K	100lm/W	2835	110°
ML14040-Y120A0	620x537x40mm	30W	3000/4000/5700K	100lm/W	2835	110°
ML14040-X090A0	364x364x40mm	30W	3000/4000/5700K	100lm/W	2835	110°



Connector




ML 15042





ML 15042



ML 15042

C180°Connector ϕ 1200mm



DIY MODULE, LIGHT UP YOUR PERSONAL SPACE
Free splicing
Modular design
Free combination

Free combination
Play with light and shadow
Spell out your light and shadow in a minimalist style

C180°Connector ϕ 800mm



C180°Connector ϕ 1000mm



Create Your Own Light: Modular Linear DIY Kits
Linear Glow. Build It Yourself

T Connector



+ Connector



120° Connector



Y Connector




90° Connector



ML 15042





ML 15042




Model	Size	Power	CCT	LM/W	LED Chip	Beam
ML 15042-0515A0	512x50x42mm	15W	3000/4000/5700K	110lm/W	2835	110°
ML 15042-1036A0	1012x50x42mm	36W	3000/4000/5700K	110lm/W	2835	110°
ML 15042-1545A0	1512x50x42mm	45W	3000/4000/5700K	110lm/W	2835	110°
ML 15042-2060A0	2012x50x42mm	60W	3000/4000/5700K	110lm/W	2835	110°



OPTICS








Model	Size	Power	CCT	LM/W	LED Chip	Beam
ML 15042-R0875A0	800x50x42mm	75W	3000/4000/5700K	110lm/W	2835	110°
ML 15042-R1090A0	1000x50x42mm	90W	3000/4000/5700K	110lm/W	2835	110°
ML 15042-R12110A0	1200x50x42mm	110W	3000/4000/5700K	110lm/W	2835	110°




OPTICS



ML 15042



ML 15042



Model	Size	Power	CCT	LM/W	LED Chip	Beam
ML 15042-L090A0	200x200x50mm	12W	3000/4000/5700K	110lm/W	2835	110°
ML 15042-L120A0	300x198x50mm	12W	3000/4000/5700K	110lm/W	2835	110°
ML 15042-T090A0	205x200x50mm	12W	3000/4000/5700K	110lm/W	2835	110°
ML 15042-Y120A0	371x322x50mm	15W	3000/4000/5700K	110lm/W	2835	110°
ML 15042-X090A0	205x205x50mm	12W	3000/4000/5700K	110lm/W	2835	110°





Connector




ML 17570









Model	Size	Power	CCT	LM/W	LED Chip	Beam
ML 17570-0309A0	312x75x70mm	9W	3000/4000/5700K	120lm/W	2835	110°
ML 17570-0618A0	612x75x70mm	18W	3000/4000/5700K	120lm/W	2835	110°
ML 17570-0927A0	912x75x70mm	27W	3000/4000/5700K	120lm/W	2835	110°
ML 17570-1030A0	1012x75x70mm	30W	3000/4000/5700K	120lm/W	2835	110°
ML 17570-1236A0	1212x75x70mm	36W	3000/4000/5700K	120lm/W	2835	110°



OPTICS




ML 19975





ML 19975



ML 19975

L Connector



DIY MODULE, LIGHT UP YOUR PERSONAL SPACE
Free splicing
Modular design
Free combination

Free combination
Play with light and shadow
Spell out your light and shadow in a minimalist style

L Connector



+ Connector




T Connector



Minimalist Light & Shadow
Freely Defined – DIY linear light modules
to illuminate your creative space

120° Connector




Y Connector




Create Your Own Light: Modular Linear DIY Kits
Linear Glow. Build It Yourself

ML 19975




UGR ≤ 19 DIY QuickSplicing UpAnd Down Solution 3CCT



ML 19975



Model	Size	Power	CCT	LM/W	LED Chip	Beam
ML 19975-0309A0	312x99x75mm	9W	3000/4000/5700K	120lm/W	2835	110°
ML 19975-0618A0	612x99x75mm	18W	3000/4000/5700K	120lm/W	2835	110°
ML 19975-0927A0	912x99x75mm	27W	3000/4000/5700K	120lm/W	2835	110°
ML 19975-1030A0	1012x99x75mm	30W	3000/4000/5700K	120lm/W	2835	110°
ML 19975-1030A0	1212x99x75mm	36W	3000/4000/5700K	120lm/W	2835	110°




OPTICS



ML 25583



ML 25583




ML 25583



ML 25583





Model	Size	Power	CCT	LM/W	LED Chip	Beam
ML 25583-1236A0	1280x55x83mm	36W	3000/4000/5700K	100lm/W	2835	48°
ML 25583-1236A1	1280x55x83mm	36W	3000/4000/5700K	100lm/W	2835	110°
ML 25583-1248A2	1280x55x83mm	36+12w	3000/4000/5700K	100lm/W	2835	110°/48°
ML 25583-1548A0	1580x55x83mm	48W	3000/4000/5700K	100lm/W	2835	48°
ML 25583-1548A1	1580x55x83mm	48W	3000/4000/5700K	100lm/W	2835	110°
ML 25583-1548A2	1580x55x83mm	36+12w	3000/4000/5700K	100lm/W	2835	110°/48°



ML 25583




ML 25583



ML 25583



ML 25583



Model	Size	Power	CCT	LM/W	LED Chip	Beam
ML 25583-1248A1	1200x55x83mm	36+12w	3000/4000/5700K	110lm/w	2835	110°/ 24°
ML 25583-1569A1	1500x55x83mm	45+24w	3000/4000/5700K	110lm/w	2835	110°/ 24°
ML 25583-1878A1	1800x55x83mm	54+24w	3000/4000/5700K	110lm/w	2835	110°/ 24°
ML 25583-2187A1	2100x55x83mm	63+24w	3000/4000/5700K	110lm/w	2835	110°/ 24°
ML 25583-2496A1	2400x55x83mm	72+24w	3000/4000/5700K	110lm/w	2835	110°/ 24°



ML 23838



ML 23838




ML 23838



ML 23838




Model	Size	Power	CCT	LM/W	LED Chip	Beam
ML 23838-1230A2	1200x38x38mm	30+10w	3000/4000/5700K	80lm/W	2835	90°+24°
ML 23838-1540A2	1500x38x38mm	30+10w	3000/4000/5700K	80lm/W	2835	90°+24°




ML 26750




ML 26750




ML 26750



ML 26750



Model	Size	Power	CCT	LM/W	LED Chip	Beam
ML 26750-1260A2	1200x67x50mm	40W	3000/4000/5700K	82lm/W	2835	24°





ML 21540



ML 21540



ML 21540



ML 21540

Model	Size	Power	CCT	LM/W	LED Chip	Beam
ML 21540-1236A0	1200x15x40mm	20W	3000/4000/5700K	90lm/W	2835	24°

CE FC CB RoHS ISO CB

IP20 CRI ≥90 UGR ≤19

direct indirect

